_

illbruck

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.02.2014

Version number 4

Revision: 09.01.2014

SECTION 1: Identificat		
undertaking	ion of the substance/mixtu	re and of the company/
· 1.1 Product identifier		
 Trade name: <u>illbruck ME901</u> 		
 MSDS code: A-I-ME901 1.2 Relevant identified uses o No further relevant information a Application of the substance a 		s advised against
 1.3 Details of the supplier of t Manufacturer/Supplier: tremco illbruck Productie B.V. Vlietskade 1032, 4241 WC Arke T: +31 (0) 183568000, F: +31 (0) msds@tremco-illbruck.com 	el	
 Further information obtainabl tremco illbruck Ltd Coupland Road, Hindley Green, T: +44 (0) 1942251400, F: +44 www.tremco-illbruck.co.uk, uk.ir 	, Wigan, WN2 4HT (0) 1942251410	
• 1.4 Emergency telephone nun During office hours tel.: +44 (0) centre.	nber: 1942251400. At all other times pleas	e contact your national poisoning
SECTION 2: Hazards iden	ntification	
Aquatic Chronic 2 H411 Toxic Skin Irrit. 2 H315 Cause		i.
Classification according to Di Xi; Irritant R38: Irritating to skin.	irective 67/548/EEC or Directive 199	9/45/EC
F; Highly flammable R11: Highly flammable. N; Dangerous for the environme		
	rganisms, may cause long-term a	adverse effects in the aquatic
 Information concerning partic 	drowsiness and dizziness. cular hazards for human and enviro ed due to the calculation procedure	

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03 02 2014

Version number 4

Revision: 09 01 2014

Printing date 03.02.201	4 Version number 4	Revision: 09.01.2014
Trade name: illbruck I	/IE901	
		(Contd. of page 1)
 Classification sys The classification i literature data. 	tem: s according to the latest editions of the EU-lists,	
	s ng to Regulation (EC) No 1272/2008 sified and labelled according to the CLP regulation.	
GHS02 GHS07 G	HS09	
· Signal word Dang	er	
Alkanes, C7-10-iso • Hazard statements H225 Highly flamm H315 Causes skin H336 May cause du H411 Toxic to aqua • Precautionary stat P210 P280 P261 P303+P361+P353 P301+P330+P331 P501 • 2.3 Other hazards	able liquid and vapour. rritation. rowsiness or dizziness. titic life with long lasting effects. tements Keep away from heat, hot surfaces, sparks, o sources. No smoking. Wear protective gloves/protective clothing/eye prote Avoid breathing vapours. IF ON SKIN (or hair): Take off immediately all co with water/shower. IF SWALLOWED: rinse mouth. Do NOT induce vor Dispose of contents/container in accordance international regulations. d vPvB assessment	ection/face protection. ntaminated clothing. Rinse skin miting.
• vPvB: Not applicat	le.	
SECTION 3: Co	mposition/information on ingredients	
 · 3.2 Mixtures · Description: Mixtu 	re of substances listed below with non-hazardous a	additions.
Dengerous comp		

· Dangerous components:

(Contd. on page 3) – GB



according to 1907/2006/EC, Article 31

Printing date 03.02.2014

Version number 4

Revision: 09.01.2014

Trade name: illbruck ME901

	(Cor	ntd. of page 2)
	Alkanes, C7-10-iso- Xn R65; Xi R38; F R11; N R51/53 R67 Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	30- <50%
CAS: 78-93-3 EINECS: 201-159-0 Reg.nr.: 01-2119457290-43-xxxx	butanone Xi R36; F R11 R66-67 Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	5- <10%
	Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclics, (2-25%) aromatics Xn R65; N R51/53 R10-66-67 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; STOT SE 3, H336	1- <5%
• Additional information: For the wording of the listed risk phrases refer to section 16.		

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Take affected persons out of danger area and lay down.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Information for doctor: No further relevant information available.
- · Hazards No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- **5.2 Special hazards arising from the substance or mixture** Formation of toxic gases is possible during heating or in case of fire. In case of fire, the following can be released:

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Printing date 03.02.2014

Version number 4

Revision: 09.01.2014

bruck

Trade name: illbruck ME901

(Contd. of page 3) Carbon monoxide (CO) Carbon dioxide · 5.3 Advice for firefighters • Protective equipment: Wear self-contained respiratory protective device. **SECTION 6: Accidental release measures** 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. · 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. · 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents · 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. SECTION 7: Handling and storage · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. · Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. 7.2 Conditions for safe storage, including any incompatibilities · Storage: • Requirements to be met by storerooms and receptacles: Store in a cool location. · Information about storage in one common storage facility: Not required. · Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles. 7.3 Specific end use(s) No further relevant information available. SECTION 8: Exposure controls/personal protection · Additional information about design of technical facilities: No further data; see item 7. 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: 78-93-3 butanone WEL Short-term value: 899 mg/m³, 300 ppm Long-term value: 600 mg/m³, 200 ppm Sk, BMGV

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 03.02.2014

Version number 4

Revision: 09.01.2014

(Contd. of page 4)

bruck

Trade name: illbruck ME901

Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclics, (2-25%) aromatics

OES Long-term value: 600 mg/m³

· Ingredients with biological limit values:

78-93-3 butanone

BMGV 70 µmol/L Medium: urine Sampling time: post shift Parameter: butan-2-one

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Filter A

· Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Neoprene gloves

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 03.02.2014

Version number 4

Revision: 09.01.2014

Trade name: illbruck ME901

(Contd. of page 5)

illbruck

SECTION 9: Physical and chemical properties		
 9.1 Information on basic physical and chemical properties General Information Appearance: 		
Form:	Fluid	
Colour:	According to product specification	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
• Melting point/Melting range:	Undetermined.	
 Boiling point/Boiling range: 	79 °C	
· Flash point:	-1 °C	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	215 °C	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.	
· Explosion limits:		
Lower:	0.6 Vol %	
Upper:	8.0 Vol %	
· Vapour pressure at 20 °C:	70 hPa	
· Density at 20 ℃:	0.81 g/cm ³	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water): Not determined.		
· Solvent content:		
VOC (EU)	444.9 g/l	
VOC (EC)	53.60 %	
 9.2 Other information 	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Violent reactions with strong alkalis and oxidizing agents.
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 03.02.2014

Version number 4

Revision: 09.01.2014

bruck

Trade name: illbruck ME901

(Contd. of page 6) • **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification:

Alkanes, C7-10-iso-			
Oral	LD50	>10000 mg/kg (rat)	
Dermal	LD50	>3000 mg/kg (rat)	
	1050/41		

Inhalative LC50/4 h 21 mg/L (rat)

Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclics, (2-25%) aromatics

 Oral
 LD50
 > 5000 mg/kg (rat)

 D
 LD50
 0.1000 mg/kg (rat)

Dermal LD50 3400 mg/kg (rabbit)

Inhalative LC50/4 h 13.1 mg/L (rat)

· Primary irritant effect:

 \cdot on the skin: Irritant to skin and mucous membranes.

- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

Alkanes, C7-10-iso-

EC50 3 mg/L (daphnia magna)

Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclics, (2-25%) aromatics

EC50/48 h 10-22 mg/L (daphnia magna)

• **12.2 Persistence and degradability** No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- **General notes:** Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.



· Class

Safety data sheet according to 1907/2006/EC, Article 31

inting date 03.02.2014	Version number 4	Revision: 09.01.20
ade name: illbruck ME901		
· 12.6 Other adverse effects No fu	rther relevant information available.	(Contd. of page
SECTION 13: Disposal cons	siderations	
 • 13.1 Waste treatment methods • Recommendation Must not be disposed together visystem. 	with household garbage. Do not a	allow product to reach sewag
· European waste catalogue		
08 04 09* waste adhesives and se	ealants containing organic solvents o	or other dangerous substances
Uncleaned packaging: Recommendation: Disposal must		ations.
SECTION 14: Transport info	ormation	
· 14.1 UN-Number · ADR, IMDG, IATA	UN1133	
 · 14.2 UN proper shipping name · ADR · IMDG 	HAZARDOUS ADHESIVES (Alkar	ES, ENVIRONMENTALL nes, C7-10-iso- , Hydrocarbon isoalkanes, cyclics, (2-25% E POLLUTANT
	ADHESIVES	
\cdot 14.3 Transport hazard class(es)		
· ADR		
· Class · Label	3 (F1) Flammable li 3	quids.
·IMDG		
· Class · Label	3 Flammable liquids 3	S.
· IATA		

3 Flammable liquids.



according to 1907/2006/EC, Article 31

Printing date 03.02.2014

Version number 4

Revision: 09.01.2014

Trade name: illbruck ME901

	(Contd. of page 8
· Label	3
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	Product contains environmentally hazardous substances: Alkanes, C7-10-iso-
· Marine pollutant:	Yes Symbol (fish and tree)
 Special marking (ADR): 	Symbol (fish and tree)
 • 14.6 Special precautions for user • Danger code (Kemler): • EMS Number: 	Warning: Flammable liquids. 33 F-E,S-D
· 14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code	ex II of Not applicable.
· Transport/Additional information:	
 ADR Limited quantities (LQ) Transport category Tunnel restriction code 	5L 2 D/E
· UN "Model Regulation":	UN1133, ADHESIVES, ENVIRONMENTALLY HAZARDOUS, 3, II

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 1999/45/EC. "CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1). "CHIP" SI 2009 No.716. "REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments).

· National regulations:

· Other regulations, limitations and prohibitive regulations

- Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.02.2014

Version number 4

Revision: 09.01.2014

Trade name: illbruck ME901

	(Contd. of page 9)
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
R10	Flammable.
R11	Highly flammable.
R36	Irritating to eyes.
R38	Irritating to skin.
R51/5	3 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.
	viations and acronyms:
	ccord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the ional Carriage of Dangerous Goods by Road)
	nternational Maritime Code for Dangerous Goods
IATA: Ir	ternational Air Transport Association
	lobally Harmonized System of Classification and Labelling of Chemicals
	S: European Inventory of Existing Commercial Chemical Substances
	:: European List of Notified Chemical Substances nemical Abstracts Service (division of the American Chemical Society)
	blatile Organic Compounds (USA, EU)
	ethal concentration, 50 percent
LD50: L	ethal dose, 50 percent
· * Data	compared to the previous version altered.

