

sliderL70

**Sistema di scorrimento
complanare a due e tre ante
con ammortizzatore magnetico
- H33.**

**Coplanar two and three-door
system with linear magnetic
damper
- H33.**

**Flächenbündiges Gleitsystem
mit zwei und drei Türen
mit magnetischem Dämpfer
- H33.**

**Système coulissant coplanaire
à deux et trois portes,
avec amortisseur magnétique
- H33.**

**Sistema de deslizamiento
coplanario de dos y tres
puertas con amortiguador
magnético
- H33.**




Lavorazioni sulla
struttura.
Lavorazioni sull'anta.

Drilling and machining
the cabinet.
Working on the door.

Arbeiten am Korpus.
Bearbeitung der Tür.


Usinage du meuble.
Plan de perçage de la
porte.

Trabajos en la estructura.
Trabajos en la puerta.




NO SCALE














LI	A	B	C	D	E	F	G						
1600-1799	1500	-	135	-	337.5	285	-	x 2	x 6	x 4	x 1	x 1	
1800-1999	1700	-	185	-	385	320	-						
2000-2199	1900	-	150	587.5	350	410	-	x 2	x 8				
2200-2399	2100	320.5	200	587.5	375	460	-	x 4					
2400-2599	2300	370.5	250	587.5	430	490	-		x 4				x 8
2600-2799	2500	420.5	300	587.5	370	355	355						
2800-2999	2700	470.5	350	587.5	400	385	385						
3000-3199	2900	520.5	400	587.5	430	415	415						
3200-3399	3100	570.5	450	587.5	455	440	440						
3400-3599	3300	620.5	500	587.5	485	470	470						
3600-3799	3500	670.5	550	587.5	515	500	500						
3800-3999	3700	720.5	600	587.5	545	530	530						













LI	H	I	J	K	L	M	
1600-1799	154	303	169	-	472	341	x 1
1800-1999	204	353	169	-	522	391	
2000-2199	254	403	169	-	572	441	
2200-2399	304	453	169	-	622	491	
2400-2599	354	503	169	-	672	541	x 2
2600-2799	354	503	219	425	722	591	
2800-2999	354	503	269	475	772	641	
3000-3199	354	503	319	525	822	691	
3200-3399	354	503	369	575	872	741	
3400-3599	354	503	419	625	922	791	
3600-3799	354	503	469	675	972	841	
3800-3999	354	503	519	725	1022	891	



NO SCALE







LI	H	I	J	K	L	M	
1600-1799	154	303	169	-	472	341	x 1
1800-1999	204	353	169	-	522	391	
2000-2199	254	403	169	-	572	441	
2200-2399	304	453	169	-	622	491	
2400-2599	354	503	169	-	672	541	x 2
2600-2799	354	503	219	425	722	591	
2800-2999	354	503	269	475	772	641	
3000-3199	354	503	319	525	822	691	
3200-3399	354	503	369	575	872	741	
3400-3599	354	503	419	625	922	791	
3600-3799	354	503	469	675	972	841	
3800-3999	354	503	519	725	1022	891	
















NO SCALE







LI	H	I	J	K	L	M	
1600-1799	154	303	169	-	472	341	x 1
1800-1999	204	353	169	-	522	391	
2000-2199	254	403	169	-	572	441	
2200-2399	304	453	169	-	622	491	
2400-2599	354	503	169	-	672	541	
2600-2799	354	503	219	425	722	591	x 2
2800-2999	354	503	269	475	772	641	
















LI	H	I	J	K	L	M	
1600-1799	154	303	169	-	472	341	x 1
1800-1999	204	353	169	-	522	391	
2000-2199	254	403	169	-	572	441	
2200-2399	304	453	169	-	622	491	
2400-2599	354	503	169	-	672	541	
2600-2799	354	503	219	425	722	591	x 2
2800-2999	354	503	269	475	772	641	



LI	H	I	J	K	L	M	
1600-1799	154	303	169	-	472	341	x 1
1800-1999	204	353	169	-	522	391	
2000-2199	254	403	169	-	572	441	
2200-2399	304	453	169	-	622	491	
2400-2599	354	503	169	-	672	541	
2600-2799	354	503	219	425	722	591	x 2
2800-2999	354	503	269	475	772	641	



LI	H	I	J	K	L	M	
1600-1799	154	303	169	-	472	341	x 1
1800-1999	204	353	169	-	522	391	
2000-2199	254	403	169	-	572	441	
2200-2399	304	453	169	-	622	491	
2400-2599	354	503	169	-	672	541	
2600-2799	354	503	219	425	722	591	x 2
2800-2999	354	503	269	475	772	641	



sliderL70



bortoluzzi

Moving silence

Bortoluzzi Sistemi SPA
via Caduti 14 Settembre 1944, n°45
32100 Belluno - Italy
tel +39 0437 930866
fax +39 0437 931442
info@bortoluzzi.com
www.bortoluzzi.com

