


Saunatür Klarglas/Bronze

Sauna door clear glass/bronze

DS40 & DS80

DS40-3CS-680, DS80-3CS-680, DS80-3BS-680


MONTAGEANWEISUNG / INSTALLATION INSTRUCTIONS



DE

EN

680 mm x 1915 mm


DS40-3CS-680**(mm)**

Einscheibensicherheitsglas (ESG) - tempered safety glass

WORLD OF WELLNESS

DS80-3CS-680, DS80-3BS-680

(mm)




DE

EN

Einscheibensicherheitsglas (ESG) - tempered safety glass


WORLD OF WELLNESS

Lieferumfang - Scope of supply




Montage - Installation

- Transportleiste entfernen - Remove the transport strip



- Türrahmen montieren - Install door frame




DE

EN


► Beschläge montieren - Assembling door mounting

3


Innenseite - inside




► Glastüre einsetzen - Insert glass door

4Linksanschlag
Left stopoder
orRechtsanschlag
Right stop

► Glastüre positionieren - Position glass door




► Glastüre montieren - Mount glass door



DE


EN

► Türgriff montieren - Mounting door handle

7


► Türmagnet montieren - Mounting door magnet

8




DE

EN




► Dichtband mittig abziehen und Türmagnet in Aussparung drücken.

► Pull sealing tape in the middle and press the door magnet into the hole.




► Dichtband abschneiden.

► Cut the sealing tape.



- ▶ Dichtband zurückdrücken.
- ▶ Push the sealing tape back.



- ▶ Metallklammer auf Glasscheibe drücken.
- ▶ Push the metal clip on the glass.

This image shows a full page of a document template designed for handwritten notes or answers. It features approximately 20 evenly spaced horizontal dotted lines across the entire width of the page, providing a guide for letter height and placement. The background is plain white, and there are no margins, headers, or footers visible.

WORLD OF WELLNESS



sentiotec GmbH world of wellness Oberregauer Straße 48 4844 Regau, Austria
T +43 (0) 7672/277 20-800 F +43 (0) 7672/277 20-801
E info@sentiotec.com www.sentiotec.com